

PANACAST 40 VBS

The only small room Android™ bar that captures the entire room

- › Everyone seen, every voice heard, nobody gets left out with 180° field of view
- › Simple and fast installation
- › Flexible touch controller for desk or wall use
- › Future proof investment, flexible deployment



General info	Box contents	PanaCast 40 VBS • PanaCast Control 10 IP • USB cable • power supply • wall mount • Privacy cover • 1 x HDMI cable 1.83m/6ft • 1 x regional power cable
	Main unit dimensions (WxHxD)	530 x 105 x 60 mm 20.87 x 4.13 x 2.37 in
	Main unit weight (base unit)	1.8 kg 3.9 lbs
	Warranty	2 years
	Onboard AI	Yes
	Cable management	Yes
	Kensington lock compatible	Yes
	Operating voltage	100-240V
	LED features and functions	Firmware update status, Mute/unmute, Power indicator, Streaming
	Certifications and compliance	ADA, Microsoft Teams Rooms, Zoom Rooms
	Room size	Certified for rooms up to 16' by 16'
Video	Video input	1 x HDMI
	Supported display resolution	Supports up to 4K, Touch Display Compatible
	Camera resolution	Up to 2 x 8 megapixels
	Content sharing	Apple Airplay (only supported by Zoom), HDMI input, Microsoft Teams-Cast (only supported by Teams)
	Number of cameras	2
	Type of camera	Dual camera panoramic
	Zoom	Up to 4x digital zoom
	Field of view	Horizontal: 180°, Vertical: 54°
	Intelligent Zoom	Yes
	Intelligent Meeting Space	Yes
	Multi-stream Dynamic Composition	Yes ¹
	Dynamic Composition	Yes
	Virtual Director	Yes
	Support secondary external USB camera	Yes
Audio	Speaker frequency range	80Hz - 20000Hz
	Number of speakers	1
	Automatic Speaker Detection	Yes
	Noise Reduction Echo Cancellation	Yes
	Non-Speech Noise Suppression	Yes
	Number of microphones	6
	Microphone sensitivity	-37dBFS
	Microphone frequency range	100Hz - 16000Hz
	Microphone pick up range	4.5m 15ft
	Aux-Out	Yes

Security	Media encryption	Provided by VaaS Partner
	Access management	Jabra+; Jabra WebConsole; Local account; VaaS Admin Portals including MS Teams Admin Center and Zoom Device Management
	Security management	Remote log in via Jabra+, Jabra WebConsole and VaaS Admin Portal
	Authenticated access to Admin settings, Jabra WebConsole, Jabra+	Yes
	Account password strength check and enforcement	Yes
	Device locked down for security	Yes
	Lockdown with secureboot, OS verified boot, Vendor lock	Yes
	Log retrieval via Jabra Web Console	Yes
	Microsoft and Zoom based VaaS account authentication	Yes
Connectivity	Interfaces	USB-A, USB-C, Ethernet (RJ45), HDMI, Wi-Fi, 3.5mm jack port
	Bluetooth® version	5.2 ²
	Supported USB versions	USB 2.0, USB 3.0
	USB cable length	3m 9.8ft
Network	Internet Protocol (IP)	IPv4, IPv6
	Ethernet	10/100/1000 Mbps
	Auto-MDIX	Yes
	Proxy support	HTTPS
	Support DHCP	Yes
	Support Static IP Address	Yes
	Simple Certificate Enrollment Protocol	Yes
Software & Apps	Compatible software and/or apps	Jabra+; Jabra WebConsole for remote device management via HTTPS; Support for native 3rd party applications, including Microsoft Teams Room for Android and Zoom Rooms; Cloud service providers including Microsoft Teams Admin Center and Zoom Device Management
	Integrated People Count	Yes
Ease of use	Appliance mode	Yes
	BYOD mode	Yes
	Digital pan/tilt/zoom	Yes
	Manual Pan-Tilt-Zoom (PTZ)	Yes
	One touch meeting join	Yes
	Camera privacy cover	Yes
Extended info	Operating temperature	5°C to 35°C 41°F to 95°F
	Operating humidity	15% to 80%
	Storage temperature	-20°C to 60°C -4°F to 140°F
	Maximum altitude	4876.8m 16000ft
	Proximity sensor	Yes

Jabra PanaCast control	Main unit dimensions (WxHxD)	248.2 x 169.2 x 50.3 mm 9.77 x 6.66 x 1.98 in
	Main unit weight	670.72g 23.63oz
	Display size	10.1"
	Display orientation	Landscape
	Display resolutions	1920 x 1200
	PoE	Yes
	Power over ethernet (PoE)	IEEE 802.3af
	Position angle	0° / 25°
	Kensington lock compatible	Yes

Products	8720-232	Jabra PanaCast 40 VBS - UC
	8721-232	Jabra PanaCast 40 VBS - MS Teams Room
	8722-232	Jabra PanaCast 40 VBS - Zoom Room

Note: Table stand sold separately.

¹ Partner specific.

² Used for Microsoft Proximity Join and to trigger Teamcast (Microsoft) or Airplay (Zoom)

Please note: The information presented in this document is provisional as of December 2024 and is subject to change without notice. Jabra does not accept any liability for any inaccuracies or omissions in this document and any decisions you make based on this information are your sole responsibility.